doors, accessories and more

شركة السكب العربية المحدودة

Al-Sakb Arabian Co. Ltd.





SAKB **Vision**

To be a leader in proving high-quality and competitive products, answering the present and future requirements of each client.


SAKB **Mission**

We have a mission to be the region's most respected brand in supplying extensive range of high-quality International brands in doors, locks and accessories to a wide range of customers.

We make sure the extraordinary range of our products are tested and certified by the international standards.

Finest materials, advanced manufacturing techniques and focus on improvement are the secrets of our selected manufacturers that provide unmatched reliability to every product we supply.




A
C
B
PROFILO BALCONE P.P.
PROFILO BALCONE P.P.
PORTICO
PORTICO
MQ 470.60
MQ 459.32
MURO H. 180/200

Who **We Are**

Al Sakb Arabian Co. Ltd., has a marvellous background & massive experience in the field of doors of any kind and doors hardware.

Al Sakb now is one of the leading suppliers in the market, supplying complete package of doors hardware. We implement our skills to study, analyse & propose the required product with full requirement and reasonable price.

Based on its strategy of being a leader in the field of supplying high quality products from its wide range, **Al Sakb** has always given priority in its approach to achieve its goals.

We always strive for the development and maintenance of long-term relations with our suppliers on the basis of mutual trust and loyalty which improve the constant improvement of products and services quality.

Al Sakb's regular analysis and planning of a quality management system provide constant perfection of its internal business. We provide our workers with social and economic security and improvement of work safety conditions. In addition to it, we insist for the personnel education by realization of professional skill improvement programs.

Thanks to its dedication of its team and to quality of its products, **Al Sakb** has managed in a very short time to establish a strong reputation for being focused on providing the best possible service, technical backup and support to its clients.

started its operations by supplying high quality products





SAKB **Message**

Today **Al Sakb** has many references that cover a quite range of projects from governmental buildings, hospitals, housings, and palaces. Together with its clients, **Al Sakb** has developed a strong reputation for being a reliable partner for handling any complicated projects, and to be able to cater to their varied demands.

SAKB **Services**

Below are the wide range of services provided by **Al SAKB Arabian Co. Ltd.**

The complete range of doors and hardwares.

ARRONE	Full range of Hardware GAI Standard
HOPPE	A Europian Handle of Excellence
ULL	ANSI / BHMA Standards for Hardware
Architectural Doors Sealing System	Sealing System for Doors
ORBITA	Hotel lock sets and Accessories
WOODEN DOORS & HOLLOW METAL DOORS	Any possible design & combination of wooden doors and hollow metal doors



ARRONE®

The **complete** range.

BS EN1935:2002
BS EN1634-1
Certifire
CE Marking

BS EN1154:1997
BS EN1155:1997
BS EN1634-1
Certifire
CE Marking

BS EN12209:2003
BS EN179:2008
BS EN1634-1
Certifire
CE Marking

BS EN 1303:2015
BS EN 1634-1

BS EN1125:2008
BS EN179:2008
BS EN1634-1
Certifire
CE Marking

Under the ARRONE® brand name, HOPPE Group is able to offer a comprehensive range of architectural quality door and window hardware for the Middle East market along with accessories. Many products are manufactured exclusively by leading hardware manufacturers throughout the world. Within the extensive range are door closers, floor springs, emergency exit devices, cylinders, architectural mortice lock cases, hinges, disabled fittings, signs and accessories.

ARRONE® products are designed and manufactured to compliment the HOPPE range of aluminium, brass, stainless steel and nylon door and window hardware.

Launched in 1993, the ARRONE® product range is now firmly recognised and established within the market place. However, ever growing demands for additional feature benefits and product enhancements coupled with changes in legislation has in turn led to extensive product developments and additions throughout the various ranges.

These new products, many of which where applicable, have been successfully type tested and certified to the latest European standards and also satisfy the UK construction product regulations for Ironmongery.

The extensive range covers the following product categories:

Hinges

A range of stainless steel hinges which where applicable have been successfully type tested and certified to the latest European standards.

Door controls

A range of high efficiency door closers which can satisfy the opening force recommendations of BS8300 and Approved Document "M" where other considerations are also taken into account.

Locks – 72 mm DIN standard lock cases


Manufactured in Europe by an ISO 9001 registered company and successfully type tested and certified to the latest European standards this range also features an escape lock.


Cylinders

A complete range of master keyed (grand and sub suites), keyed alike and keyed to differ 6 pin cylinders.

Panic and emergency exit hardware

A range of exit hardware to suit most timber and metal doors. Successfully type tested and certified to the latest European standards.




ARRONE
BS EN 1935
Grade 13


ARRONE
BS EN 1935
Grade 13
1121


ARRONE


ARRONE


ARRONE


ARRONE











ARRONE®

The **complete** range.

certifire


Certifire is an independent third party scheme providing high quality voluntary product conformity certification for the passive fire sector.

CE Marking

CE marking is the easiest route to providing compliance with the latest UK construction products regulations for ironmongery used on fire, smoke and escape route doors.

CE marking indicates that the product has been 3rd party perfomance / fire tested where applicable and is produced in a factory which has satisfactory production control systems.







HOPPE®
Handle of excellence.

Hoppe products undergo numerous tests to ensure flawless operation. DIN EN 1906- European and German standardisation for hardware specify the requirments and test methods foor door handles and knobs.

This European Standard specifies test methods and requirments for spindle and fastening elements, operating tourques, misalignment durability, statitic strength and corrosion resistance for sprung and unsprung handles and knobs foor doors on backplates or roses.

With the 10-year operational guarantee ,HOPPE extends way beyond the statutory 4 years of European regulations.

All HOPPE architechtural door handle sets correspond to DIN EN 1906 (May 2002), category of use 4, as well as to the residual standard DIN 18255

Special Programme for Arrone - Hoppe

Quick-Fit

Door handle fitting in about 8 seconds only

Time is money - quicker and better:
The HOPPE Quick-Fit connection

HOPPE Quick-Fit connection. With its advanced technology, door handles can be installed in one simple step - and to last.

The key point of the technology is the blocking mechanism, developed by HOPPE, in the receiver handle. This holds the solid spindle of the other handle firmly and without play. It is with the whole width of the spindle that maximum torgue transmission is achieved. The HOPPE Quick-Fit connection is a variable axial handle fitting, tested according to DIN EN 1906 and can be used for various door-thicknesses

- Very quick door handle fitting: around 75% time saving compared with normal fitting
- No Allen screw or transverse spindles needed
- Integrated blocking mechanism in the reciever handle
- Use of a solid spindle
- Variable axial handle fitting tested to DIN EN 1906
- Easy and quick removal of door handles

SecuSan®

The new hygiene standard

The issue of "hygiene" has been the subject of public concern for many years and is currently more topical than ever before - be it in clinics, schools, industry or leisure facilities. With the new SecuSan door and window handles HOPPE has developed a solution that provides active protection in the very places where it is urgently required. SecuSan is a special surface that immediatly suppresses microbial growth on a lasting basis. It is entirely maintenance-free and designed for long-term usage. It is highlevel of efficacy has been confirmed in indipendant laboratory and practical tests.

The new surface prevents the growth of germs such as bacteria, algae and fungi. Since the silver ions contained in the surface form an active part of the material, the SecuSan surface remains effective even when cleaned at regular intervals.

SecuSan has been tested and certified based on the JIS (Japanese Industrian Standard) Z 2801:2000 and ISO (International Organisation foa Standardization) 22196:2011 standards.

The SecuSan surface's high leval of antimicrobial effectiveness was certified, in particular as regards its effect over time.



Antimicrobial effectiveness

Sertos®

The Sertos clip-in connection by HOPPE will guarantee this long-term functionality. Moreover, it is not only easly installed but also just as easily removed.

More quality features of Sertos clip-in connection with ball locking mechanism:

- High-quality, low-play solid spindle
- flat spring hardened and slotted on both sides to compensate for tolarances in the lock followe
- Spring cassatte

Certified for highest durability

The Sertos clip-in connection with ball locking mechanism is extremely durable. It will withstand the strain of at least 1,000,000 test cycles without any functional impairment. This has been certified by the PIVCERT***Plus*** test carried out by the Velbert testing institute.

The quality you expect from HOPPE


Naturally, Sertos products also come with the 10-year operational guarantee like all HOPPE brand name door and window handles.

Quick-FitPlus

HOPPE Quick-FitPlus
Less is more

This technology not only allows simple installation, without the need for screws, of door handles, but also round, square and rectangular flat roses.The new HOPPE Quick-FitPlus sets are making an impression with their virtually flush rose design.

Simple fitting
Aesthetically pleasing flat roses and door handles using the Quick-Fit connection are installed on the door in jsut a few steps: The handle roses - either self-adhesive or with supporting lugs - are affixed to the prepared door and the door handles are simply put together.







HOPPE®
Handle of excellence.

Enjoy the feel of quality. Indeed, touching a quality handle reassures you that you have made the right choice. Hardware with this logo is a brand-name product, which, in our view, is tantamount to a promise of quality.

All production plants of the HOPPE Group in Germany, Italy and the Czech Republic are certified in accordance with DIN EN ISO 9001:2008. Continuous striving for improvement in quality remains a permanent procss.

Handle of Excellance.

HOPPE are certified in accordance with DIN EN ISO 9001:2008. HOPPE is aware that simply manufacturing a faultless product is not sufficient today. Among the important criteria HOPPE considers, are efficient manufacturing to quality standards, complying with current regulations, short product life-cycles and, above all, close attention to customer requirements.

HOPPE, Europe's leading brand of door and window handles, can fit with any personal living and future style. With high quality and fair price, our products enhance everyone's choice of interior decor.

HOPPE products are tradesman's first choice. HOPPE not only offers a wide range of attractive handles for doors and windows but also develops specific solutions. Thus a building or an apartment can be equipped with the " Handle of Excellence" from the representative entarnce door to the interior doord and windows.

Considaration for the Environment

At HOPPE, consideration for the environment is of "constitutional" importance. All production facilities of the HOPPE Group in Germany, Italy and Czech Republic are certified to DIN EN ISO 14001:2009 (Environmental Management System).

The product lines







The dura**vert** product line

Acapulco M1558



Bergen M1602



Bruxelles M129



Capri M1950



Genova M1535



Monte Carlo M1550



Athinai M156



Brisbane 1670







The dura**plus** product line

Amsterdam (E)1400



Antwepen E1420



Atlanta (M)1530



Bonn E150



Cannes M1545



Dallas (E/M)1643



Lecce 1405 NEW



Marseille (E)1138



Paris (E)138



Stockholm (E)1140



Houston M1623




New York 1810



HOPPE®
Handle of excellence.

You will enjoy increased trust in the eyes of customers by offering constantly good, appropriate brand - quality products at various price levels . You will be actively supported by the relevant standards and testing requirements.





HOPPE®
Handle of excellence.

HOPPE branded stainless steelhardware is manufactured from chore - nickel steel (steel no. 1.4301 to DIN) Thanks to its longevity, its harmlessness to the enviornment and to health as well as its corrosion acid-, and abrasion resistance, it is used in the food industry as well as the medical and domestic sectors beside the building side.

The dura**norm** product line

Alta E1433 NEW



Baden E1388 NEW



Essen E1555 NEW



Ibiza 1171 NEW



Maribor 1766 NEW



Utrecht E1444 NEW



Birmingham 1117



Dubayy 1107



Roissy M1941



Santiago 1171



Seattle 168L



Cadiz 1767








UNIVERSAL
LEVERS & LOCKS

Universal Levers & Locks (ULL) is a technology driven Architectural Door Hardware Brand committed to bringing safety, security, convenience and aesthetics to any built environment. ULL offers various door hanging, door securing, door controlling and door protecting solutions with its wide range of products manufactured in strict compliance with ANSI/BHMA standards. Finest materials, advanced manufacturing techniques, and focus on continuous improvement is the secret of the unmatched reliability offered by our products.



Hanging Devices




Door Coordinator



Controlling Devices



Emergency Exit Devices



Floor Door Stop



Flush Bolts



Dust Proof Strike



Door Holder



Securing Devises







orbita TECHNOLOGY CO.,LTD

Orbita is one of the reputable card operated lock and hotel locking systems manufactuers for the hospitality industry in china,established to offer the best quality products with professional and effective service to our customers.

Orbita series of product is a product of years of experience integrated with the advanced technology from siemens, dallas, atmel, philip etc. the cooperation with fidelio and other popular pms system has just enabled our locking system to a wide range of compatibility.

More than 5000 hotels, resorts and cruise ships in 100 countries in the world are using our card locks, digital safes and other satisfactory hotel intelligent accessories that have been becoming another attractive point for hotels.

Orbita believes that every customer is a customer for life. producing products of fine quality with our experience and knowledge is our source of pride and customer's satisfaction is our only criterion in service.

Hotel RFID Lock



Touch Screen Switch



Hotel Room Safe



Cabinet Lock



Energy Saving Switch



Electronic Lock



Wireless Portable Programmer




ORBITA
ORBITA
orbita
WELCOME
0101
orbita



Functional Characteristics or Orbita RFID Access

Interface with most of the PMS systems, Fidelio/Opera registered!
CE & FCC Certified!
Brushed stainless steel color lasts more than 10 years
ANSI Standard mortise
Inside Dead Bolt. Inside handle retracts latches and deadbolt.
Mifare 1K card, compatible with Mifare Energy Saver
Override Computer Key for Emergency use, individual or master cylinder
Lost guest card suspension simply by issuing a new guest card with suspending function
Lock operation record printable: 240 pcs or more
Power: 4pcs #5 AA Alkaline batteries. 18 months' duration
Low battery voltage warning. (Lower than 3.5V)
Self Error detecting by LED and "beep"
Improper locak warning
Passage function available
Can be integrated with 16 public areas such as Lift/Parking/ Swimming Pool/Sauna Room/Tennis Court/Gym...etc.

orbita TECHNOLOGY CO.,LTD

ORBITA RFID Access

Fancy Features:

To show room number, status of batteries, time and date

Indication of lock status such as "Welcome", "Don't Disturb", "Wrong Card"...etc.

And, error self-detective info is available as well.

Bathroom Lock B-303



E3041



E3041



E3141



Bathroom Lock B-303



E4031



E3330



Bathroom Lock B-301



E4131




S3072H Sliding Reader



S3072H







Sealing Systems

Al Sakb Arabian Co. Ltd leads in the region supplying a comprehensive reange of Door Sealing Systems from top of the range and award winning manufacturers in the industry around the world.

The sealing systems include Door Bottom Seals, Perimeter Seals, Extruded Elastomeric Seals, Threshold Plates and Ramps and Automatic Door Bottom Seals.

Use the key below to identify, at a glance, what each product is designed to do.

Ambient (cold) temperature smoke:
Seals for this designation are designed to control smoke at ambient temperature conditions.

Medium temperature smoke:
Seals for this designation are designed to contain smoke at 200º C for 30 minutes exposure.

Hot smoke:
Hot smoke seals incorporate an intumescent material that rapidly expands in volume upon heating. These types of seals limit the spread of hot smoke and gases produced by fully developed fires.

Approved for use on proprietary fire doors:
Fire tests to AS1530/4 have been conducted on one or more proprietary fire door constructions to show that the addition of these seals will not affect the already established fire resistance levels of the fire doors.


Approved for use on proprietary smoke doors:
Seals for this designation have been tested in accordance with AS1530/7 for smoke leakage, providing ambient or medium temperature leakage rates across various pressures.

Sound containment (acoustics):
Testing for door assemblies incorporating these seals has been conducted to AS1191 and/or ISO140 Part 3/ ISO10140.2

Energy efficient:
Door assemblies fitted with appropriate seals can greatly assist in reducing air movement within buildings.

Antimicrobial version available
SteriTouch® range of antimicrobial seals are designed to reduce the growth of harmful organisms such as bacteria, mould and fungi, while remaining safe for even the most sensitive applications.





Fire and smoke protection measure are essential, life-saving precautions in a building. What's more, they protect the property from the devastating consequences of the fire itself, and the damaging effects of hot and cold smoke. So it's essential to get the product selection right, every time.

We offer a tested and certified range of door sealing systems for the containment of energy and the exclusion of noise, fire, smoke, vermin, insects and bushfire embers. Raven brand is synonymous with quality, value and service.

With **Al Sakb** you get a great team that knows its stuff. We employ the best people and we're respected experts in the priciples of fire, smoke and sound. We've been a respected leader in the building hardware industry and we're proud to drive standards and quality further every day.







Sealing Systems

A comprehensive range of perimeter seals designed to fit around the head, jambs and meeting stiles of doors, providing an effective barrier to noise, smoke, weather and draughts.

Weather and Energy




Health and Aged Care



Smoke Door Sealing




Noise - Acoustic




Door Bottom Seals




Threshold Plates



Door Frame Parameter Seals




Fire Seals



Astragal Seals




Brush Strip Seals









We Know that our work can influence reputations and protect lives. That's why we don't sell products and walk away. We strive to truly understand our client's needs and build enduring partnership. That way, we see things through your eyes - so we're proactive, resourceful and always ready when you need us.









We see the bigger picture ... and our passion for the built environment extends to the natural environment. We continue to meet and exceed all relevant environmental legal requirements, deduce and manage our waste and emissions, and use resources as efficiently as possible.



WHITE OAK (CROWN)

WHITE OAK (QUARTER)



ALDER




SAPELE



CHERRY (QUARTER)




CHERRY (CROWN)




RADIATA PINE



OKUME




ELEVAT
INFILL P




RED OAK (CROWN)

RED OAK (QUARTER)


MAPLE


MAHOGANY


EUCALYPTUS


BURMA WALNUT



HEMLOCK



BEECH


VATION OF DOUBLE DOOR
LL PANEL DOOR




You will benefit from our innovative Leadership. Ongoing technical and conceptual innovation will enable you to be an attractive partner.








ELEVATION OF DOUBLE DOOR TUBULAR TYPE



DR1-CF-FP1
DOUBLE REBATE CORNER FRAM




DR1-CF-FP9
DOUBLE REBATE CORNER FRAME




You will be able to solve your customer problems through products appropriate for the target groups that correspond to the current state of art.

ITEM:

1. - 1.2mm THK. REINFORCEMENT COVER
2. - 1.2mm THK. EXPANSION ANCHOR
3. - 1.5mm THK. G.I. SHEET FRAME
4. - 1.2mm THK. REINFORCEMENT COVER
5. - 10mm x 135mm EXPANSION BOLT.
6. - FIRE-RATING LABEL
7. - FRAME CUT-OUT (STRIKE PLATE)
8. - 1.5mm THK. G.I. SHEET FRAME



BLOW-UP DETAIL




BLOW-UP DETAIL


ISOMETRIC VIEW

ITEM:

1. - TOP & BOTTOM CHANNEL
2. - FOLDED SKIN
3. - POLYURETHANE FOR NON-FIRE RATED DOORS.
4. - 5.0mm THK. HINGES REINFORCEMENT
5. - FRAME CUT-OUT (HINGES)
6. - PANEL CUT-OUT (CYLINDER & HANDLE)
7. - 3.0mm THK. STRIKE PLATE REINFORCEMENT
8. - FLAT SKIN
9. - LEVER HANDLE
10. - MORTISE LOCK
11. - PANEL CUT-OUT (STRIKE PLATE)




BLOW-UP DETAIL




ISOMETRIC VIEW

ITEM:


1. - 1.2mm THK. STIFFENER CHANNELS
2. - TOP & BOTTOM CHANNEL
3. - FOLDED SKIN
4. - FIBERGLASS / ROCKWOOL INSULATIONS FOR FIRE RATED DOORS.
5. - 5.0mm THK. HINGES REINFORCEMENT
6. - FRAME CUT-OUT (HINGES)
7. - FIRE RATING LABEL
8. - PANEL CUT-OUT LOCK
9. - FLAT SKIN
10. - LEVER HANDLE
11. - PANIC DEVICE
12. - PANIC LATCH
13. - LATCH REINFORCEMENTS
14. - PANIC DEVICE REINFORCEMENT






ITEM:

1. - 1.2mm THK. REINFORCEMENT COVER
2. - 1.2mm THK. EXPANSION ANCHOR
3. - 1.5mm THK. G.I. SHEET FRAME
4. - 1.2mm THK. REINFORCEMENT COVER
5. - 10mm x 135mm EXPANSION BOLT.
6. - FIRE-RATING LABEL
7. - FRAME CUT-OUT (STRIKE PLATE)
8. - 1.5mm THK. G.I. SHEET FRAME







SAKB **Clients**

With us you get a talented team that knows its stuff. We employ best people and assure the work done with efficiency. We have been a respectable leader in the hardware industry.







Al-Sakb Arabian Co. Ltd.
P.O.Box 8142, Riyadh 12835
Kingdom of Saudi Arabia

Tel: +966 11 445 5630
Fax: +966 11 496 1641
info@sakbarabian.com

www.sakbarabian.com